

# National and local findings

UK IBD audit workshop: London  
23 March 2015

Dr Ian Arnott  
Consultant Gastroenterologist





Royal College  
of Physicians

Setting higher standards

# National and regional key findings:

- Results are taken from elements of 'round 4' of the UK IBD audit (2012-2014)
- Reports were published in June and September 2014



**Not More Audit!**

YES MASTER...



# National results: 5 key findings

1. Only 40% (70/173) of services reach the IBD Standards' requirement for the **MDT** to meet at least fortnightly and to be regularly attended by medical, nursing and surgical staff, to be minuted and to have an attendance register.

2. Access to **psychological support** for IBD patients remains low; 12% (21/173) of services reported having access to clinical psychology via a defined referral pathway.

3. Where active disease was recorded at the **last outpatient appointment** and the patient was not admitted to hospital at that time, standard treatments were not started or escalated in 42% of cases.

## National results: 5 key findings

4. The patient was anaemic in 48% (2052/4288) of admissions (using WHO definition). Where **anaemia** was attributed to iron deficiency, no treatment was received in 56% (783/1406)

5. Variation in experience for **adolescents**. 73% (27/37) of those treated by a paediatric service, rated the overall care that they received as excellent. Only 26% (12/46) of the adolescents treated by an adult service rated it as excellent.

# Local findings



Public Health  
England

RightCare

NHS  
England



**Commissioning for Value: Integrated care pathways**

NHS Camden CCG

February 2015

The packs are bespoke to the 221 CCGs in England

<http://www.england.nhs.uk/resources/resources-for-ccgs/comm-for-value/lond-2015/>




Royal College  
of Physicians

Setting higher standards



# Regional findings


## Dementia and LTCs Secondary care and outcomes



# Regional findings

## Inpatient spend for those aged 75+

NHS Camden CCG






# Local findings

## Complex Patients - Spend Profile

NHS Camden CCG



# Regional findings: inpatient care audit

(all admissions for ulcerative colitis in 2013)

Key indicators	Number of admissions entered to the UK IBD audit round 4	Seen by a member of the IBD team during their admission	Stool sample sent for standard stool culture (SSC), where the patient had diarrhoea	Prophylactic heparin prescribed	Nutritional screen (risk assessment) undertaken during the admission	Had surgery that was not planned before admission	Bone protection prescribed in those discharged home on steroids	Clear plan to follow up the patient that was recorded in the notes at discharge
<b>UK results round 4</b>	<b>4359</b> <b>Median=21</b>	<b>Yes=91%</b> <b>(3982/4359)</b>	<b>Yes=80%</b> <b>(2060/2565)</b>	<b>Yes=90%</b> <b>(3560/3952)</b>	<b>Yes=82%</b> <b>(3566/4359)</b>	<b>Yes=12%</b> <b>(442/3784)</b>	<b>Yes=74%</b> <b>(2553/3448)</b>	<b>Yes=93%</b> <b>(3970/4263)</b>
King George and Queens Hospitals	46	93% (43/46)	86% (31/36)	91% (42/46)	57% (26/46)	11% (5/44)	68% (27/40)	93% (43/46)
Newham University Hospital	18	100% (18/18)	67% (10/15)	100% (18/18)	50% (9/18)	0% (0/18)	85% (11/13)	94% (17/18)
The Royal London Hospital and St Bartholomew's Hospitals	26	96% (25/26)	91% (21/23)	96% (25/26)	50% (13/26)	0% (0/24)	44% (11/25)	96% (25/26)
Whipps Cross University Hospital	9	89% (8/9)	88% (7/8)	100% (9/9)	67% (6/9)	0% (0/8)	50% (4/8)	89% (8/9)
Basildon Hospital	37	89% (33/37)	86% (12/14)	76% (25/33)	95% (35/37)	3% (1/33)	58% (15/26)	100% (36/36)
Bedford Hospital	8	100% (8/8)	71% (5/7)	100% (8/8)	88% (7/8)	25% (2/8)	100% (8/8)	100% (8/8)
Royal Sussex County Hospital and Princess Royal Hospitals	49	98% (48/49)	97% (37/38)	100% (48/48)	65% (32/49)	17% (8/48)	93% (39/42)	88% (43/49)
Chelsea and Westminster Hospital	11	100% (11/11)	100% (6/6)	90% (9/10)	82% (9/11)	50% (5/10)	86% (6/7)	100% (11/11)
Croydon University Hospital	26	100% (26/26)	63% (15/24)	100% (26/26)	88% (23/26)	4% (1/26)	91% (20/22)	96% (24/25)
Ealing Hospital	27	89% (24/27)	86% (12/14)	85% (22/26)	93% (25/27)	0% (0/23)	65% (15/23)	100% (25/25)
Lister Hospital and Queen Elizabeth II Hospitals	24	96% (23/24)	60% (12/20)	100% (23/23)	100% (24/24)	9% (2/23)	95% (20/21)	100% (23/23)
Guy's and St Thomas' Hospitals combined	47	74% (35/47)	100% (13/13)	92% (35/38)	57% (27/47)	19% (7/37)	92% (35/38)	96% (45/47)
Charing Cross Hospital, Hammersmith Hospital and St Mary's Hospitals	19	100% (19/19)	100% (1/1)	100% (19/19)	74% (14/19)	6% (1/18)	89% (16/18)	89% (17/19)
James Paget Hospital	18	67% (12/18)	89% (8/9)	92% (12/13)	100% (18/18)	38% (5/13)	55% (6/11)	94% (17/18)
Luton and Dunstable Hospital	14	100% (14/14)	100% (8/8)	100% (13/13)	79% (11/14)	9% (1/11)	90% (9/10)	92% (12/13)
Medway Maritime Hospital	49	98% (48/49)	91% (41/45)	100% (48/48)	100% (49/49)	19% (9/48)	87% (27/31)	98% (45/46)
John Radcliffe Hospital and Horton General Hospital	50	100% (50/50)	100% (18/18)	96% (27/28)	68% (34/50)	24% (6/25)	41% (9/22)	92% (46/50)
Princess Alexandra Hospital, Harlow	29	100% (29/29)	85% (17/20)	97% (28/29)	93% (27/29)	10% (3/29)	65% (17/26)	100% (28/28)
Royal Berkshire Hospital	43	91% (39/43)	56% (14/25)	86% (31/36)	98% (42/43)	6% (2/31)	30% (10/33)	83% (35/42)
Royal Bournemouth Hospital	39	82% (32/39)	95% (18/19)	97% (33/34)	92% (36/39)	15% (5/34)	86% (25/29)	100% (39/39)
Royal Cornwall Hospital	36	56% (20/36)	60% (3/5)	77% (24/31)	58% (21/36)	29% (8/28)	62% (13/21)	91% (32/35)
Royal Free Hospital	30	97% (29/30)	85% (17/20)	100% (29/29)	27% (8/30)	11% (3/28)	92% (24/26)	86% (25/29)
Friarage Hospital	9	56% (5/9)	67% (4/6)	38% (3/8)	78% (7/9)	0% (0/8)	14% (1/7)	78% (7/9)
James Cook University Hospital	30	100% (30/30)	71% (17/24)	97% (28/29)	97% (29/30)	14% (4/29)	85% (22/26)	87% (26/30)
St George's Hospital	25	84% (21/25)	100% (17/17)	100% (22/22)	100% (25/25)	14% (3/21)	95% (20/21)	100% (24/24)
The Queen Elizabeth Hospital	13	100% (13/13)	43% (3/7)	100% (12/12)	100% (13/13)	8% (1/12)	85% (11/13)	100% (13/13)
University College Hospital	29	93% (27/29)	88% (14/16)	100% (25/25)	100% (29/29)	0% (0/22)	83% (20/24)	100% (29/29)
Watford General Hospital and Hemel Hempstead General Hospitals	47	100% (47/47)	89% (34/38)	93% (39/42)	91% (43/47)	17% (7/42)	59% (23/39)	98% (46/47)

# Regional findings: inpatient care audit

(all admissions for ulcerative colitis in 2013)

Key indicators	Number of admissions entered to the UK IBD audit round 4	Stool sample sent for standard stool culture (SSC), where the patient had diarrhoea	Nutritional screen (risk assessment) undertaken during the admission	Bone protection prescribed in those discharged home on steroids
<b>UK results round 4</b>	<b>4359 Median=21</b>	<b>Yes=80% (2060/2565)</b>	<b>Yes=82% (3566/4359)</b>	<b>Yes=74% (2553/3448)</b>
King George and Queens Hospitals	46	86% (31/36)	57% (26/46)	68% (27/40)
Newham University Hospital	18	67% (10/15)	50% (9/18)	85% (11/13)
The Royal London Hospital and St Bartholomew's Hospitals	26	91% (21/23)	50% (13/26)	44% (11/25)
Whipps Cross University Hospital	9	88% (7/8)	67% (6/9)	50% (4/8)
Basildon Hospital	37	86% (12/14)	95% (35/37)	58% (15/26)
Bedford Hospital	8	71% (5/7)	88% (7/8)	100% (8/8)
Royal Sussex County Hospital and Princess Royal Hospitals	49	97% (37/38)	65% (32/49)	93% (39/42)
Chelsea and Westminster Hospital	11	100% (6/6)	82% (9/11)	86% (6/7)
Croydon University Hospital	26	63% (15/24)	88% (23/26)	91% (20/22)
Ealing Hospital	27	86% (12/14)	93% (25/27)	65% (15/23)
Lister Hospital and Queen Elizabeth II Hospitals	24	60% (12/20)	100% (24/24)	95% (20/21)
Guy's and St Thomas' Hospitals combined	47	100% (13/13)	57% (27/47)	92% (35/38)
Charing Cross Hospital, Hammersmith Hospital and St Mary's Hospitals	19	100% (1/1)	74% (14/19)	89% (16/18)
James Paget Hospital	18	89% (8/9)	100% (18/18)	55% (6/11)
Luton and Dunstable Hospital	14	100% (8/8)	79% (11/14)	90% (9/10)
Medway Maritime Hospital	49	91% (41/45)	100% (49/49)	87% (27/31)
John Radcliffe Hospital and Horton General Hospital	50	100% (18/18)	68% (34/50)	41% (9/22)
Princess Alexandra Hospital, Harlow	29	85% (17/20)	93% (27/29)	65% (17/26)
Royal Berkshire Hospital	43	56% (14/25)	98% (42/43)	30% (10/33)
Royal Bournemouth Hospital	39	95% (18/19)	92% (36/39)	86% (25/29)
Royal Cornwall Hospital	36	60% (3/5)	58% (21/36)	62% (13/21)
Royal Free Hospital	30	85% (17/20)	27% (8/30)	92% (24/26)
Friarage Hospital	9	67% (4/6)	78% (7/9)	14% (1/7)
James Cook University Hospital	30	71% (17/24)	97% (29/30)	85% (22/26)
St George's Hospital	25	100% (17/17)	100% (25/25)	95% (20/21)
The Queen Elizabeth Hospital	13	43% (3/7)	100% (13/13)	85% (11/13)
University College Hospital	29	88% (14/16)	100% (29/29)	83% (20/24)
Watford General Hospital and Hemel Hempstead General Hospitals	47	89% (34/38)	91% (43/47)	59% (23/39)

# Regional findings: organisational audit

(Service provision 'as at' 31 December 2013)

Key indicators	Number of whole- time equivalent (WTE) IBD nurses on site	Number of WTE dietitians allocated to gastroenterology	Sites with a designated gastroenterology ward on site	Sites where there is at least one toilet per three IBD patients on the gastroenterology ward	Sites with a transitional care service for young people to support their transfer to adult services	Sites where relapsing patients can expect to be seen for specialist review within 7 days	Sites with a searchable database or registry of adult IBD patients	Sites where patients undergoing ileal pouch surgery are entered into the pouch registry
<b>UK results round 4</b>	<b>Median=1 IQR=0.6, 1.8</b>	<b>Median=1 IQR=0.1, 1</b>	<b>Yes=95% (165/173)</b>	<b>Yes=27% (47/173)</b>	<b>Yes=53% (92/173)</b>	<b>Yes=74% (128/173)</b>	<b>Yes=36% (62/173)</b>	<b>Yes=66% (86/130)</b>
King George and Queens Hospitals	1.6	0	Yes	No	No	Yes	No	No
Newham University Hospital	0	1	Yes	No	Yes	Yes	No	No
The Royal London Hospital and St Bartholomew's Hospitals	2.3	0	Yes	No	Yes	Yes	Yes	Yes
Whipps Cross University Hospital	1	0	Yes	No	Yes	Yes	Yes	Yes
Basildon Hospital	2	0	Yes	No	No	No	No	Yes
Bedford Hospital	1	2	Yes	Yes	Yes	Yes	No	Yes
Royal Sussex County Hospital and Princess Royal Hospitals	1	3	Yes	No	Yes	No	Yes	Yes
Chelsea and Westminster Hospital	1	2	Yes	No	Yes	Yes	No	Yes
Croydon University Hospital	1	0.5	Yes	No	No	Yes	Yes	No
Ealing Hospital	0.5	0	Yes	No	No	No	No	Yes
Lister Hospital and Queen Elizabeth II Hospitals	1.5	0	Yes	No	No	Yes	No	Yes
Guy's and St Thomas' Hospitals	3.8	2	No	No	No	Yes	No	No
Charing Cross Hospital, Hammersmith Hospital and St Mary's Hospitals	1.8	1.8	Yes	No	No	Yes	Yes	Yes
James Paget Hospital	0.6	0	Yes	No	No	No	No	No
Luton and Dunstable Hospital	2	0.75	Yes	No	Yes	Yes	Yes	Yes
Medway Maritime Hospital	1	1	Yes	No	Yes	No	Yes	No
John Radcliffe Hospital and Horton General Hospitals	3	2	Yes	Yes	Yes	Yes	Yes	Yes
Princess Alexandra Hospital, Harlow	1	0.2	Yes	Yes	No	No	No	Not applicable
Royal Berkshire Hospital	1.5	0.5	Yes	No	Yes	Yes	No	Yes
Royal Bournemouth Hospital	1.6	1.4	Yes	Yes	Yes	Yes	Yes	Yes
Royal Cornwall Hospital	1.1	0	Yes	No	Yes	Yes	Yes	Yes
Royal Free Hospital	2	1	Yes	No	Yes	Yes	No	Yes
Friarage Hospital	0.2	0.5	Yes	No	No	Yes	Yes	Yes
James Cook University Hospital	1	1	Yes	No	No	Yes	No	No
St George's Hospital	1	1	Yes	No	Yes	Yes	No	No
The Queen Elizabeth Hospital	1	0.5	Yes	No	No	Yes	No	No
University College Hospital	2	2	Yes	No	Yes	Yes	No	Yes
Watford General Hospital and Hemel Hempstead General Hospitals	0.6	0.5	Yes	No	No	No	Yes	No

# Regional findings: organisational audit

(Service provision 'as at' 31 December 2013)

Key indicators	Number of whole-time equivalent (WTE) IBD nurses on site	Number of WTE dietitians allocated to gastroenterology	Sites with a transitional care service for young people to support their transfer to adult services	Sites with a searchable database or registry of adult IBD patients	Sites where patients undergoing ileal pouch surgery are entered into the pouch registry
<b>UK results round 4</b>	<b>Median=1 IQR=0.6, 1.8</b>	<b>Median=1 IQR=0.1, 1</b>	<b>Yes=53% (92/173)</b>	<b>Yes=36% (62/173)</b>	<b>Yes=66% (86/130)</b>
King George and Queens Hospitals	1.6	0	No	No	No
Newham University Hospital	0	1	Yes	No	No
The Royal London & St Bartholomew's Hospitals	2.3	0	Yes	Yes	Yes
Whipps Cross University Hospital	1	0	Yes	Yes	Yes
Basildon Hospital	2	0	No	No	Yes
Bedford Hospital	1	2	Yes	No	Yes
Royal Sussex County and Princess Royal Hospitals	1	3	Yes	Yes	Yes
Chelsea and Westminster Hospital	1	2	Yes	No	Yes
Croydon University Hospital	1	0.5	No	Yes	No
Ealing Hospital	0.5	0	No	No	Yes
Lister Hospital and Queen Elizabeth II Hospitals	1.5	0	No	No	Yes
Guy's and St Thomas' Hospitals	3.8	2	No	No	No
Charing Cross, Hammersmith and St Mary's Hospitals	1.8	1.8	No	Yes	Yes
James Paget Hospital	0.6	0	No	No	No
Luton and Dunstable Hospital	2	0.75	Yes	Yes	Yes
Medway Maritime Hospital	1	1	Yes	Yes	No
John Radcliffe and Horton General Hospitals	3	2	Yes	Yes	Yes
Princess Alexandra Hospital, Harlow	1	0.2	No	No	Not applicable
Royal Berkshire Hospital	1.5	0.5	Yes	No	Yes
Royal Bournemouth Hospital	1.6	1.4	Yes	Yes	Yes
Royal Cornwall Hospital	1.1	0	Yes	Yes	Yes
Royal Free Hospital	2	1	Yes	No	Yes
Friarage Hospital	0.2	0.5	No	Yes	Yes
James Cook University Hospital	1	1	No	No	No
St George's Hospital	1	1	Yes	No	No
The Queen Elizabeth Hospital	1	0.5	No	No	No
University College Hospital	2	2	Yes	No	Yes
Watford General & Hemel Hempstead General Hospitals	0.6	0.5	No	Yes	No

